

Genetic Testing: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for genetic testing performed at Labcorp and Esoterix Genetic Laboratories, LLC, formerly branded as Integrated Genetics laboratories. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2024 through September 30, 2025. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information should be reflected in the patient's medical record.

| Symbol | Diagnosis | | Symbol | Diagnosis | |
|--------|-----------|--|--------|-----------|---|
| | Code | Sign or Symptom | | Code | Sign or Symptom |
| ★♀ | Z3A.11 | 11 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | §♀ | Z36.82 | Encounter for antenatal screening for nuchal translucency (maternity age 9-64) |
| ★♀ | Z3A.12 | 12 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | §♀ | Z36.8A | Encounter for antenatal screening for other genetic defects (maternity age 9-64) |
| ★♀ | Z3A.13 | 13 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | §♀ | Z36.1 | Encounter for antenatal screening for raised alphafetoprotein level (maternity age 9-64) |
| ★♀ | Z3A.15 | 15 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | §♀ | Z36.9 | Encounter for antenatal screening, unspecified (maternity age 9-64) |
| ★♀ | Z3A.16 | 16 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | § | Z31.41 | Encounter for fertility testing |
| ★♀ | Z3A.17 | 17 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | § | Z13.71 | Encounter for nonprocreative screening for genetic disease carrier status |
| ★♀ | Z3A.18 | 18 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | §♀ | Z36.2 | Encounter for other antenatal screening follow-up (maternity age 9-64) |
| ★♀ | Z3A.1Ø | 10 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis) | ❖§♀ | Z31.438 | Encounter for other genetic testing of female for procreative management |
| ▲§♀ | O28.1 | Abnormal biochemical finding on antenatal screening of mother (maternity age 9-64) | §♂ | Z31.448 | Encounter for other genetic testing of male for procreative management (adult age 15-124) |
| ▲§♀ | O28.5 | Abnormal chromosomal and genetic finding on antenatal screening of mother (maternity age 9-64) | § | Z31.49 | Encounter for other procreative investigation and testing |
| ▲§♀ | O28.Ø | Abnormal hematological finding in antenatal screening of mother (maternity age 9-64) | § | Z13.79 | Encounter for other screening for genetic and chromosomal anomalies |
| ▲§♀ | O28.3 | Abnormal ultrasonic finding on antenatal screening of mother (maternity age 9-64) | §♀ | Z36.89 | Encounter for other specified antenatal screening (maternity age 9-64) |
| ☆§ | C92.ØØ | Acute myeloblastic leukemia, not having achieved remission | § | ZØ1.89 | Encounter for other specified special examinations |
| §♀ | N91.2 | Amenorrhea, unspecified | ♀ | Z32.Ø1 | Encounter for pregnancy test, result positive (maternity age 9-64) |
| § | D64.9 | Anemia, unspecified | ♀ | Z32.ØØ | Encounter for pregnancy test, result unknown |
| ●§ | F84.Ø | Autistic disorder | | Z31.5 | Encounter for procreative genetic counseling |
| | Q99.9 | Chromosomal abnormality, unspecified | § | Z11.3 | Encounter for screening for infections with a predominantly sexual mode of transmission |
| § | C91.1Ø | Chronic lymphocytic leukemia of B-cell type not having achieved remission | § | Z13.828 | Encounter for screening for other musculoskeletal disorder |
| § | D47.1 | Chronic myeloproliferative disease | §♀ | Z34.Ø1 | Encounter for supervision of normal first pregnancy, first trimester (maternity age 9-64) |
| ▲§♀ | OØ3.9 | Complete or unspecified spontaneous abortion without complication (maternity age 9-64) | §♀ | Z34.Ø2 | Encounter for supervision of normal first pregnancy, second trimester (maternity age 9-64) |
| § | D72.819 | Decreased white blood cell count, unspecified | §♀ | Z34.Ø3 | Encounter for supervision of normal first pregnancy, third trimester (maternity age 9-64) |
| | D75.9 | Disease of blood and blood-forming organs, unspecified | §♀ | Z34.ØØ | Encounter for supervision of normal first pregnancy, unspecified trimester (maternity age 9-64) |
| § | D72.829 | Elevated white blood cell count, unspecified | §♀ | Z34.91 | Encounter for supervision of normal pregnancy, unspecified, first trimester (maternity age 9-64) |
| §♀ | Z36.Ø | Encounter for antenatal screening for chromosomal anomalies (maternity age 9-64) | §♀ | Z34.92 | Encounter for supervision of normal pregnancy, unspecified, second trimester (maternity age 9-64) |
| §♀ | Z36.81 | Encounter for antenatal screening for hydrops fetalis (maternity age 9-64) | | | |
| §♀ | Z36.3 | Encounter for antenatal screening for malformations (maternity age 9-64) | | | |

| Symbol | Diagnosis | |
|--------|-----------|---|
| | Code | Sign or Symptom |
| §♀ | Z34.93 | Encounter for supervision of normal pregnancy, unspecified, third trimester (maternity age 9-64) |
| §♀ | Z34.9Ø | Encounter for supervision of normal pregnancy, unspecified, unspecified trimester (maternity age 9-64) |
| §♀ | Z34.81 | Encounter for supervision of other normal pregnancy, first trimester (maternity age 9-64) |
| §♀ | Z34.82 | Encounter for supervision of other normal pregnancy, second trimester (maternity age 9-64) |
| §♀ | Z34.83 | Encounter for supervision of other normal pregnancy, third trimester (maternity age 9-64) |
| §♀ | Z34.8Ø | Encounter for supervision of other normal pregnancy, unspecified trimester (maternity age 9-64) |
| §♂ | Z31.441 | Encounter for testing of male partner of patient with recurrent pregnancy loss (adult age 15-124) |
| ❖§♀ | Z31.43Ø | Encounter of female for testing for genetic disease carrier status for procreative management |
| §♂ | Z31.44Ø | Encounter of male for testing for genetic disease carrier status for procreative management |
| ◊ | Z84.81 | Family history of carrier of genetic disease (never a primary diagnosis) |
| ◊ | Z8Ø.9 | Family history of malignant neoplasm, unspecified (never a primary diagnosis) |
| ◊ | Z82.79 | Family history of other congenital malformations, deformations and chromosomal abnormalities (never a primary diagnosis) |
| ◊ | Z84.89 | Family history of other specified conditions (never a primary diagnosis) |
| ♀ | N97.9 | Female infertility, unspecified |
| § | E75.22 | Gaucher disease |
| | Z14.8 | Genetic carrier of other disease |
| ▲§♀ | OØ3.4 | Incomplete spontaneous abortion without complication (maternity age 9-64) |
| | D5Ø.9 | Iron deficiency anemia, unspecified |
| §♂ | N46.9 | Male infertility, unspecified (adult age 15-124) |
| § | C8Ø.1 | Malignant (primary) neoplasm, unspecified |
| ▲△§♀ | O35.ØØXØ | Maternal care for (suspected) central nervous system malformation in fetus, unspecified, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.19XØ | Maternal care for (suspected) chromosomal abnormality in fetus, other chromosomal abnormality, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.15XØ | Maternal care for (suspected) chromosomal abnormality in fetus, sex chromosome abnormality, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.11XØ | Maternal care for (suspected) chromosomal abnormality in fetus, Trisomy 13, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.13XØ | Maternal care for (suspected) chromosomal abnormality in fetus, Trisomy 21, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.1ØX1 | Maternal care for (suspected) chromosomal abnormality in fetus, unspecified, fetus 1 (maternity age 9-64) |
| ▲△§♀ | O35.1ØXØ | Maternal care for (suspected) chromosomal abnormality in fetus, unspecified, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.9XX1 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 1 (maternity age 9-64) |

| Symbol | Diagnosis | |
|--------|-----------|---|
| | Code | Sign or Symptom |
| ▲△§♀ | O35.9XXØ | Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.2XX1 | Maternal care for (suspected) hereditary disease in fetus, fetus 1 (maternity age 9-64) |
| ▲△§♀ | O35.2XXØ | Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified (maternity age 9-64) |
| ▲§♀ | O36.4XXØ | Maternal care for intrauterine death, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.BXXØ | Maternal care for low transverse scar from previous cesarean delivery (maternity age 9-64) |
| ▲△§♀ | O35.AXXØ | Maternal care for other (suspected) fetal abnormality and damage, fetal facial anomalies, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.EXXØ | Maternal care for other (suspected) fetal abnormality and damage, fetal genitourinary anomalies, not applicable or unspecified (maternity age 9-64) |
| ▲△§♀ | O35.8XX1 | Maternal care for other (suspected) fetal abnormality and damage, fetus 1 (maternity age 9-64) |
| ▲△§♀ | O35.8XXØ | Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified (maternity age 9-64) |
| ▲§♀ | O36.592Ø | Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified (maternity age 9-64) |
| ▲§♀ | O36.599Ø | Maternal care for other known or suspected poor fetal growth, unspecified trimester, not applicable or unspecified (maternity age 9-64) |
| ▲■❖§♀ | O34.219 | Maternal care for unspecified type scar from previous cesarean delivery (maternity age 9-64) |
| ▲▼§♀ | OØ2.1 | Missed abortion (maternity age 9-64) |
| § | D47.2 | Monoclonal gammopathy |
| § | C9Ø.ØØ | Multiple myeloma not having achieved remission |
| ○§ | D46.9 | Myelodysplastic syndrome, unspecified |
| ▲❖□§♀ | O99.211 | Obesity complicating pregnancy, first trimester (maternity age 9-64) |
| ▲❖□§♀ | O99.21Ø | Obesity complicating pregnancy, unspecified trimester (maternity age 9-64) |
| § | R89.8 | Other abnormal findings in specimens from other organs, systems and tissues |
| ▲§♀ | O28.8 | Other abnormal findings on antenatal screening of mother (maternity age 9-64) |
| | R97.8 | Other abnormal tumor markers |
| ▲❖§♀ | O99.34Ø | Other mental disorders complicating pregnancy, unspecified trimester (maternity age 9-64) |
| § | D61.818 | Other pancytopenia |
| | D75.89 | Other specified diseases of blood and blood-forming organs |
| ▲◎§♀ | O26.899 | Other specified pregnancy related conditions, unspecified trimester (maternity age 9-64) |
| § | Z71.1 | Person with feared health complaint in whom no diagnosis is made |
| ◊▲ | Z85.9 | Personal history of malignant neoplasm, unspecified (never a primary diagnosis) |
| | Z76.89 | Persons encountering health services in other specified circumstances |
| ▲§♀ | O26.21 | Pregnancy care for patient with recurrent pregnancy loss, first trimester (maternity age 9-64) |
| ▲§♀ | O26.22 | Pregnancy care for patient with recurrent pregnancy loss, second trimester (maternity age 9-64) |

| Symbol | Diagnosis | |
|--------|-----------|--|
| | Code | Sign or Symptom |
| ▲\$♀ | O26.20 | Pregnancy care for patient with recurrent pregnancy loss, unspecified trimester (maternity age 9-64) |
| §♀ | Z33.1 | Pregnant state, incidental (maternity age 9-64) (never a primary diagnosis) |
| §♀ | N96 | Recurrent pregnancy loss |
| § | D75.1 | Secondary polycythemia |
| § | R62.52 | Short stature (child) |
| | R16.1 | Splenomegaly, not elsewhere classified |
| ▲\$♀ | O09.521 | Supervision of elderly multigravida, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.522 | Supervision of elderly multigravida, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.523 | Supervision of elderly multigravida, third trimester (maternity age 9-64) |
| ▲\$♀ | O09.529 | Supervision of elderly multigravida, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O09.511 | Supervision of elderly primigravida, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.512 | Supervision of elderly primigravida, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.519 | Supervision of elderly primigravida, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O09.91 | Supervision of high risk pregnancy, unspecified, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.92 | Supervision of high risk pregnancy, unspecified, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.90 | Supervision of high risk pregnancy, unspecified, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O09.891 | Supervision of other high risk pregnancies, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.892 | Supervision of other high risk pregnancies, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.899 | Supervision of other high risk pregnancies, unspecified trimester (maternity age 19-64) |
| ▲\$♀ | O09.811 | Supervision of pregnancy resulting from assisted reproductive technology, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.812 | Supervision of pregnancy resulting from assisted reproductive technology, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.819 | Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester (maternity age 9-64) |

| Symbol | Diagnosis | |
|--------|-----------|--|
| | Code | Sign or Symptom |
| ▲\$♀ | O09.32 | Supervision of pregnancy with insufficient antenatal care, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester (maternity age 9-64) |
| ▲\$♀ | O09.299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O09.621 | Supervision of young multigravida, first trimester (maternity age 9-64) |
| ▲\$♀ | O09.611 | Supervision of young primigravida, first trimester (maternity age 9-64) |
| ○\$♂ | E29.1 | Testicular hypofunction |
| § | D69.6 | Thrombocytopenia, unspecified |
| | D75.839 | Thrombocytosis, unspecified |
| ▲♦\$♀ | O30.041 | Twin pregnancy, dichorionic/diamniotic, first trimester (maternity age 9-64) |
| ▲♦\$♀ | O30.042 | Twin pregnancy, dichorionic/diamniotic, second trimester (maternity age 9-64) |
| ▲♦\$♀ | O30.001 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester (maternity age 9-64) |
| ▲♦\$♀ | O30.002 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester (maternity age 9-64) |
| ▲♦\$♀ | O30.009 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O28.9 | Unspecified abnormal findings on antenatal screening of mother (maternity age 9-64) |
| ▲▼\$♀ | O24.311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester (maternity age 9-64) |
| ▲\$♀ | O10.919 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester (maternity age 9-64) |
| ▲\$♀ | O26.841 | Uterine size-date discrepancy, first trimester (maternity age 9-64) |
| ▲\$♀ | O26.842 | Uterine size-date discrepancy, second trimester (maternity age 9-64) |
| ▲\$♀ | O26.843 | Uterine size-date discrepancy, third trimester (maternity age 9-64) |

Legend for Symbols

- ★ Code first obstetric or encounter for delivery (O09-O60, O80-O82)
- ♀ Female diagnosis only
- ▲ Use additional code, if applicable, from category Z3A, Weeks of gestation, to identify the specific week of the pregnancy, if known
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ☆ Code also, if applicable, pancytopenia (acquired) (D61.818)
- Code also any associated medical condition and intellectual disabilities
- ❖ Use additional code for recurrent pregnancy loss, if applicable (N96, O26.2-)
- ♂ Male diagnosis only
- ◇ Code also any follow-up examination (Z08-Z09)
- △ Code also any associated maternal condition
- Code first any associated obstructed labor (O65.5)
- ⊛ Use additional code to identify specific condition
- ▼ Use additional code for category O08 to identify any associated complication
- Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
- Use additional code to identify the type of obesity (E66.-)
- ⊙ Use additional code, if applicable, to identify specific condition such as insulin resistance (E88.81-)
- ⤴ Code first any follow-up examination after treatment of malignant neoplasm (Z08)
 - Use additional code to identify:
 - alcohol dependence (F10.-)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ◆ Code also any complications specific to multiple gestation
- ∨ Use additional code (for):
 - from category E11 to further identify any manifestation
 - injectable non-insulin antidiabetic drugs (Z79.85)
 - long-term (current) use of insulin (Z79.4)

Esoterix Genetic Laboratories, LLC is a subsidiary of Laboratory Corporation of America Holdings, using the brand Labcorp.

